

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Toshiba	Logo		
Company name *	Toshiba Europe GmbH			
Contact information *	Toshiba Europe GmbH	TOSHIBA		
	Anke Strangfeld			
	Hammfelddamm 8, 41460 Neuss	Leading Innovation >>>		
	e-mail: anke.strangfeld@toshiba-teg.com			
Internet site *	http://eu.computers.toshiba-europe.com/innovation/generic/environment-home/			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Portable Computer				
Commercial name *	Satellite C870 series				
Model number *	PSCBCE-				
Issue date *	2012-11-30				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Quality Control			
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	lc lc		

Model number *	PSCBCE - Satellite C870 series		
Issue date *	2012-11-30	Logo	TOSHIBA

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://eu.computers.toshiba-europe.com/innovation/generic/environment-greening-of-products/#Management-of-Chemicals				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*					
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	PSCBCE - Satellite C870 series		
Issue date *	2012-11-30	Logo	TOSHIBA Leading Innovation >>>

Product	luct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	r	n.a.	
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			\sqcap	
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ	X		一	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	Ħ			Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				Ħ	
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square			П	
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$			Ī	
P7.9.	Spare parts are available after end of production for: 5 years				Ħ	
P7.10	Service is available after end of production for: See P14 years				\Box	
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC+ABS Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.		X			
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ħ	X		Ħ	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				Ħ	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		X			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,				片	
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			1	_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		L		Ш	
P8	Batteries Detter showing composition. Main betternul i inn BTC betternul i					
P8.1*						
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>Do not use Ni-Cd batteries, Pb-free</i> except primary batteries					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	PSCBCE - Satellite C870 series		
Issue date *	2012-11-30	Logo	TOSHIBA Leading Innovation >>>

Product	oduct environmental attributes - Market requirements (continued) M Yes No n.a						nt met	
Item								lo n.a.
P9	Energy consumpti					•		
9.1	9.1 For the product the following power levels or energy consumptions are reported:							
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power lev	el at 2	30 V AC	Reference / Standard energy modes and to	_
Idle mode)	W	W	10.38 W			ENERGY STAR	
Sleep mod	de with WOL	W	W	0.73 W			ENERGY STAR	
Off mode	wirh out WOL	W	W	0.38 W			ENERGY STAR	
EPS No-lo	pad	W	W					
charger plu	oower supply / ugged in the wall disconnected from ct.)							
PTEC *		W	W					
TEC *	nergy Consumption	kWh/week	kWh/week					
ETEC *				29.89 kW	h/year		ENERGY STAR	
	ergy Consumption solution*: Me	kWh/year gapixels	kWh/year					
Print Spee		ages per minute						
	ne to enter energy sav	.	Dienlay off) 20/t	o Sloon) m	inutos			
P9.2*	Information about the							- -
P9.3*	The product meets		<u> </u>			am/c:		
79.3	ENERGY STAR® v Others specify:				otebook co			
P10	Emissions							
	Noise emission –		ing to ISO 9296					
P10.1	Mode M	lode description			Declared A-weighted		clared A-weighted	
					ound power	sound pressure level $L_{p{\sf Am}}$ (dB)		
				lev	el L_{WAd} (B)	Operator positio	Bystander positio	ns
						Deskto	' (only if product is r	 not
						or Desk sid	le operator attende	
	Idle *	ISO7779 Idle		* 3.	.08			
	Operation *	ISO7779 Operat	tion-HDD	* 3.	.13			\dashv \sqcap
		•						
	Other mode	ISO7779 ODD (I	When ODD oper	ates) 3.	61			
	Measured according	g to: 🔀 ISO777		•		·		
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m) P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: Less than 42dB							
P10.2	The product meets			of the follow	ing voluntar	y program/s: Less	than 42dB	

Model nur	mber *	PSCBCE - Satellite C870 series					
Issue date) *	2012-11-30	Logo	TOSHIBA Leading Innovation >>>			
	Leading university //						
Product	environr	nental attributes - Market requirements (continued)		Require	ment	met	
Item				Yes	No	n.a.	
	Chemic	al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			П		
P10.4		emission rate (print phase) is (mg/h):					
	• •	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemica	are met for :				\boxtimes	
		Oust Ozone Styrene Benzene	TVOC				
	Electron	nagnetic emissions					
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the follow	llowing voluntary				
P11		nable materials for printing products					
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see P4.3).		$\overline{\Box}$		
P11.2*	Paper c	ontaining post-consumer recycled fibers can be used, provided that it meets the		of			
P11.3*	EN1228 2-sided	n. (duplex) printing/copying is an integrated product function.		П		\boxtimes	
P12	Ergonoi	nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	ogies.			\square	
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13		ng and documentation					
P13.1*		packaging material type(s): <i>cardboard</i> weight (kg): <i>0,391</i> packaging material type(s): <i>plastics</i> weight (kg): <i>0,091</i>					
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes			
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☑					
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-cee P14%	onsumer recycle	d			
Rev.		d product documentation do not contain chlorine bleached paper		X			
P13.5							
P14		nal information (See Note B4)					
P7.10		period depends on service agreement.					
P7.19		inition of plastic parts in this item does not include cables in harmonization v s R40 substances.	with TCO. AC ca	able comm	only		
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard configuration meeting ENERGY STAR specifications. Use of different configurations or optional devices changes the energy efficiency data listed above.						
P10	configu	c noise information published on The Eco Declaration represents the charac ration. Characteristics of models with different configurations may vary.					
P13.4	Paper for documentation for Europe is made of 100% FSC mixed sources. The wood for the paper comes from FSC-certified well managed forests, recycled material and/or controlled wood which come from non-controversial sources.						
	Informa Toshiba to warra Toshiba	tion contained in this document is approximate and provided for information provides this information without warranties of any kind neither expressed inties for a particular purpose. I does not warrant that the content will be error free. All information in this down't knowledge at the time of completion, and Toshiba has no obligation to up	nal purposes on nor implied incl ocument is prov	ly. luding but i vided to the	not lin	nited	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19